



- RELIABLE
WOOD
CHIPPING

PTO

PRODUCT CATALOGUE

Reliable machines designed
for demanding users





RELIABLE WOOD CHIPPING | PERFECT RESULTS

HIGH EFFICIENCY. DANISH QUALITY.

TP Wood Chippers are designed and manufactured in Denmark. All our products are characterised by user-friendliness, strength and high efficiency. TP Wood Chippers are quite simply made to be used. In addition to the high quality, they are easy to operate and maintain. Our main task is to ensure that you get the work done and can quickly move on to the next job.



3-year warranty

With a full 3-year warranty, we can fully vouch for the quality of our machines. Our TP WARRANTY covers all of the components, including engine, hydraulic components, gears etc. The only thing that is not covered by the warranty is painting and standard wearing parts such as knives.

Top quality woodchip

Woodchip is sustainable biomass with a significant climate benefit, and when it comes to economy, woodchip quality is paramount. TP Wood Chippers produce high-quality, uniform woodchip, which is particularly useful for wood-burning plants such as stoker facilities. TP Wood Chippers comply with the standards G30, G50 and G100 in the recognised ÖNORM M7133 standard.



Original wearing parts – for safety's sake

TP Wood Chippers are built to deal with tough circumstances and raw materials, but of course, wearing parts cannot last forever. We always recommend that you use original wearing parts and spare parts and that you replace wearing parts at the correct time. By doing so, you achieve better woodchip quality and better fuel consumption. At the same time, you will help to optimise reliability and extend the lifetime of the wood chipper. We even continue to supply parts for TP Wood Chippers that have been in operation for over 20 years!

TP FEATURES



TP PILOT – the rpm monitor that ensures problem-free operation

A TP PILOT is an efficient rpm monitor that prevents overloading of both the tractor and wood chipper. You can check the rpm of the feed rollers on the rpm monitor. If the rpm of the feed rollers does not match the rpm of the disc, it can lead to two different outcomes: When the speed is too low, the full capacity of the machine will not be utilised, and when the speed is too high, the wood will be pressed against the disc causing the rpm to lessen. Both of these conditions can cause unnecessary wear on the machine and the accumulation of material in the feed opening. TP PILOT provides safe, efficient and continuous operation without any problems.



TP TWIN DISC – a pioneering disc design

When the machine knives cut a solid tree trunk into woodchip, the disc is subjected to a huge force. TP TWIN DISC, our special disc design, ensures the necessary strength and rigidity – without the disc becoming so heavy that it affects efficiency. In contrast to a traditional solid disc, TP TWIN DISC is made up of two discs, which are welded together around assembly plates. This gives a weight reduction of about 40% compared to a solid disc. In addition to the high strength and ejection force, TP TWIN DISC produces less wear on the rear of the disc housing.



Integrated hydraulic system – greater power and reliability

All TP Wood Chippers with feed rollers have an integrated hydraulic system with independent hydraulic pumps, hydraulic oil tank and hydraulic filter. The hydraulic pump always delivers the correct amount of oil and pressure to the oil engine, which drives the wood chipper's feed rollers. It provides minimum loss of power compared with systems where oil supply to the oil engines comes from an external source such as the tractor hydraulics. The closed hydraulic system also ensures that no dirt or other external particles enter the wood chipper's oil engines and hydraulic valves. This means greater reliability and less risk of downtime.



TP SERVICE BOX – to keep you running smoothly

A TP SERVICE BOX contains all of the critical wearing parts that are appropriate for each TP Wood Chipper. For example, knives, counterknives, scrapers, hydraulic filter and of course nuts and bolts. With the box close at hand, you are always guaranteed optimum operation – even when you are out in the grounds, far from stores and workshops. A TP SERVICE BOX is included when you purchase any model from the TP 130 PTO to the TP 270 PTO.



TP CHIP KIT – the choice is yours

Instead of a permanently mounted sieve, which produces significantly higher fuel consumption, you can retrofit a TP CHIP KIT when you require extra fine woodchip quality. The kit consists of sliver breakers and a disc facing plate, which together ensure very fine woodchip quality without slivers, which can otherwise be inconvenient when burning woodchip in a woodchip stove. TP CHIP KIT is optional equipment and is available for all of our wood chippers except TP 100 PTO and TP 230/270 PTO, which are delivered with type A sliver breakers as standard.

With a fitted TP CHIP KIT, the TP Wood Chipper produces wood chips that meet the recognised ÖNORM standard (G30, G50 and G100).

PRODUCT GUIDE

GENERAL FEATURES OF PTO WOOD CHIPPERS

- Reliable machines designed and manufactured in Denmark
- Extended 3-year product warranty
- Delivered with PTO shaft with free running
- Powerful in-feed rollers and integrated hydraulic system*
- Produces woodchip suitable for burning in G30/G50 quality*
- Meets the highest standards for personal safety (EN 13525)
- Delivered with a free TP SERVICE BOX, which contains all of the critical wearing parts*
- Specially developed powder coating ensures effective protection against rust (corrosion class C4)
- Rotatable ejector spout can be extended both horizontally and vertically to suit the task

* Except TP 100 PTO

KEY TO SYMBOLS



Max. wood diameter



Power requirement
(tractor size)



NO STRESS

rpm monitor



Woodchip size

SPECIFICATIONS – PTO WOOD CHIPPERS

	TP 100 PTO	TP 130 PTO	TP 175 PTO	TP 200 PTO	TP 230 PTO	TP 250 PTO	TP 270 PTO
Max. wood diameter	100 mm	130 mm	175 mm	200 mm	230 mm	250 mm	270 mm
Roller opening	150 x 275 mm	130 x 220 mm	175 x 220 mm	210 x 265 mm	230 x 230 mm	260 x 350 mm	280 x 290 mm
Power requirement HP	15–40 HP	25–60 HP	40–90 HP	40–115 HP	50–120 HP	60–140 HP	100–200 HP
Power requirement kW	11–29 kW	18–45 kW	29–66 kW	30–85 kW	37–90 kW	45–104 kW	75–150 kW
PTO rpm	540 rpm	540 rpm	1000 rpm (540 rpm*)	1000 rpm (540 rpm*)	1000 rpm	1000 rpm	1000 rpm
3-point suspension	Cat. 1	Cat. 1 + 2	Cat. 1 + 2	Cat. 1 + 2	Cat. 2	Cat. 2	Cat. 2
TP PILOT - rpm monitor	No	Optional	Optional	Optional	Yes	Yes	Yes
Capacity/hour	7 m ³	10 m ³	20 m ³	40 m ³	45 m ³	50 m ³	60 m ³
Woodchip size	8–20 mm	8 mm	4–12 mm	4–10 mm	12–18 mm	4–13 mm	11–21 mm
Adjustable woodchip size	No	No	Yes	Yes	Yes	Yes	Yes
Woodchip standard	-	G30**	G30/G50**	G30/G50**	G30/G50/G100***	G30/G50/G100**	G30/G50/G100***
Feed rollers	-	1	2	2	2	2	2
Roller position	-	Horizontal	Horizontal	Horizontal	Vertical	Horizontal	Vertical
Chipper type	Drum chipper	Disc chipper	Disc chipper	Disc chipper	Disc chipper	Disc chipper	Disc chipper
In-feed angle	Vertical funnel	Parallel to direction of travel	Parallel to direction of travel	Parallel to direction of travel	Perpendicular to direction of travel	Parallel to direction of travel	Diagonal rear facing
Chipping angle	55°	90°	90°	90°	45°	90°	45°
TP TWIN DISC	No	Yes	Yes	Yes	No	Yes	No
Number of knives	2	2	4	3	3	3	3
Number of counterknives	1	2	3	3	2	3	2
Disc diameter	410 mm	660 mm	660 mm	760 mm	760 mm	960 mm	960 mm
Disc weight	48 kg	82 kg	87 kg	168 kg	144 kg	266 kg	280 kg
Noise level, in acc. with ISO 11201	120 dB	105 dB	108 dB	104 dB	102 dB	110 dB	99 dB
Integrated hydraulic system	No	Yes	Yes	Yes	Yes	Yes	Yes
Foldable funnel	No	No	No	Yes	Yes	Yes	No
Trailer hitch	No	No	Optional	Optional	Yes	Optional	Yes
Weight	195 kg	516 kg	519 kg	700 kg	990 kg	1065 kg	1385 kg
Width	1515 mm	1217 mm	1230 mm	1424 mm	2525 mm	1536 mm	2405 mm
Height	1580 mm	2362 mm	2294 mm	2440 mm	2950 mm	2942 mm	2980 mm
Length	791 mm	2136 mm	2065 mm	2480 mm	1550 mm	2581 mm	2485 mm

* Requires purchase of speed-up gear

** Requires a fitted TP CHIP KIT (optional)

*** TP CHIP KIT is fitted as standard

TP 100 PTO

EFFICIENT DRUM CHIPPER – PERFECT FOR COMPACT TRACTORS

Thanks to the vertical funnel, TP 100 PTO is a compact wood chipper, which does not take up much space. At the same time, the design provides efficient in-feed without the use of rollers. The machine is ideal for thinning bushes and for chipping branches and smaller trees, e.g. in parks, on housing association grounds, churchyards and golf courses.



PRODUCT INFORMATION

- Ideal for use in confined spaces and where tractor power is below 40 HP
- Rotatable ejector spout
- Reversible knives
- Speed-up gear
- Optional extension arms for 3-point suspension



100 mm



15–40 HP



8–20 mm



NO STRESS

No



TP 130 PTO

USER-FRIENDLY AND COMPACT

TP 130 PTO is an efficient wood chipper with a wide application, which is still small enough to be used with a standard compact tractor. The machine, which has been developed for the fast and easy breaking down of green material, is ideal for the maintenance of parks, churchyards, municipal area, golf courses and housing associations.



PRODUCT INFORMATION

- In-feed roller with teeth provides powerful in-feed
- TP PILOT rpm monitor recommended for tractors below 40 HP
- Speed-up gear
- Height-adjustable feet



130 mm



25–60 HP



8 mm



NO STRESS

TP PILOT is optional





TP 175 PTO

BIGGER, STRONGER, LIGHTER

Perfect for windbreaks and landscaping. TP 175 PTO is designed to take branches and logs with diameters up to 175 mm and produce fine-quality woodchip suitable for burning. Designed using the TP OPTICUT knife system, with smaller knives positioned offset on the disc. This ensures there is always a knife engaged on the wood in the wood chipper. The result is fewer vibrations, more even loading of the machine, lower fuel consumption and finally, woodchip that is more uniform in quality.



PRODUCT INFORMATION

- Manufactured from high-strength steel, which is 50% stronger than traditional steel
- Low weight means the machine can be handled by smaller tractors, from 40 HP
- Hydraulic adjustment of the roller speed and therefore chip size
- Optional power shuttle allows front-fitting on the tractor
- Significantly lower fuel consumption than competing products
- Optional speed-up gear for tractors with 540 rpm on PTO
- TP PILOT rpm monitor recommended for tractors below 60 HP



175 mm



40-90 HP



4-12 mm



NO STRESS

TP PILOT is optional



TP 200 PTO

POPULAR, FLEXIBLE AND STRONG

The TP 200 PTO provides an optimal combination of functionality, size and capacity for dealing with the most prevalent tasks when managing parks and landscaping. The wide and open funnel makes feeding in material with side branches easy, and this property has made the TP 200 PTO a popular choice among municipalities, forestry technicians and contractors.

PRODUCT INFORMATION

- Hydraulic adjustment of the roller speed and therefore chip size
- Fast replacement of knives without adjustment
- Replaceable wearing plate at the bottom of the disc and on the ejector blades
- TP PILOT rpm monitor recommended for tractors below 75 HP
- Optional speed-up gear for tractors with 540 rpm on PTO
- Optional power shuttle allows front-fitting on the tractor



200 mm



40-115 HP



4-10 mm



NO STRESS

TP PILOT is optional



TP 230 PTO

UNIQUE DESIGN WITH SIDE-FACING FUNNEL

The TP 230 PTO is an extremely robust wood chipper, which due to the perpendicular funnel makes it ideal for working along roads, paths and hedges, where the efficient removal of branches and wood waste has a high priority.

TP GREENLINE – Wood chipping and collecting in one operation, using just one tractor

TP 230 GREENLINE is a set consisting of a TP 230 PTO Wood Chipper combined with a high or low tip woodchip trailer.

The wood chipper is fitted on the tipper's drawbar in the wood chipper's 3-point hitch, but can quickly be removed from the tipper and instead fitted directly on to the tractor's lifting arm.



PRODUCT INFORMATION

- Integrated trailer coupling for the collecting trailer
- With sliver breakers which guarantee easy to burn woodchip
- TP WINCH - extra equipment. The hydraulic winch, which is driven by the wood chipper's hydraulic system, pulls the tree trunks right up the machine for you, thus helping to maintain a high capacity.
- Also available as a crane version – see separate brochure



230 mm



50-120 HP



12-18 mm



NO STRESS

TP PILOT is standard



TP 250 PTO

FOR LARGER AND MORE DEMANDING TASKS

The TP 250 PTO is a powerful wood chipper, which provides the user with large capacity, flexibility and uniform woodchip quality. Thanks to the strong construction, the machine can handle everything from small branches to whole trees up to 250 mm in diameter. The large disc with three knives in combination with three counterknives, ensures very efficient wood chipping.

PRODUCT INFORMATION

- Hydraulic adjustment of woodchip size
- Fast replacement of knives without adjustment
- Equipped with a replaceable casing in the disc housing
- Option to attach a trailer coupling to a four-wheel trailer
- Also available as a crane version – see separate brochure



250 mm



60-140 HP



4-13 mm



NO STRESS

TP PILOT is standard



PRODUCT INFORMATION

- With a trailer coupling so you can easily eject the woodchip directly into a trailer
- Equipped with a replaceable casing in the disc housing
- Funnel can be folded in and out hydraulically to allow a narrower width for transport
- Also available as a crane version – see separate brochure

TP 270 PTO

DESIGNED FOR HEAVY WORK

TP 270 PTO is a powerful wood chipper with a large capacity and an aggressive in-feed, even with whole trees. The angled funnel provides the optimal working conditions in the forest, along roads and hedges.

Extra equipment: TP WINCH

The hydraulic forestry winch draws tree trunks all the way up to the wood chipper, which maintains capacity and makes it easy to operate the wood chipper all day.



270 mm



75–200 HP



11–21 mm



NO STRESS

TP PILOT is standard



**- RELIABLE
WOOD
CHIPPING**

LINDDANA A/S

Linddana A/S
Ølholm Bygade 70
7160 Tørring, Denmark

Tel.: +45 75 80 52 00
tp@linddana.com
www.linddana.com

Telephone and opening hours (CET)

Monday - Thursday 08:00 - 16:00

Friday 08:00 - 15:30

Spare Parts

Monday - Thursday 07:30 - 15:00

Friday 07:30 - 14:00

WOOD CHIPPERS SINCE 1980

Linddana has designed, manufactured and marketed TP Wood Chippers since 1980. Today, this Danish company is one of the world leaders in its field. Linddana supplies a strong selection of functional and reliable wood chippers for landscaping and biomass production.

TECHNOLOGY AND PEOPLE

Linddana's strong international position is founded on extensive technical expertise and a commitment to high quality, both in the selection of materials and in manufacturing processes. By combining skilled workmanship and using the latest manufacturing technology, we maintain the highest quality standards.



Dealer